

# PTDM55 TRADING AND IMPORT EXPORT COMPANY LIMITE



# **THÔNG TIN CÔNG TY**

Phụ Tùng Dệt May 55 xin gửi lời chúc tới Quý Doanh Nghiệp luôn gặt hái nhiều thành công và không ngừng phát triển. Kính thưa: Quý Doanh Nghiệp

Phụ Tùng Dệt May 55 hoạt động từ năm 2009 trong các lĩnh vực kinh doanh và phân phối các sản phẩm về phụ tùng ngành sợi, dệt, tẩm nhuộm, định hình hoàn tất, máy cho ngành công nghiệp. Là một trong những nhà đại diện cho các nhãn hiệu nổi tiếng trong nước và quốc tế Ý, Mỹ, Pháp, Nhật Bản, Đài Loan, Hàn Quốc ... Hiện tại Phụ Tùng Dệt May 55 chúng tôi đã và đang cung cấp cho các Công ty, Xí nghiệp tại các tỉnh thành TP. Hà Nội, Bắc Ninh, Hưng Yên, Hải Dương, Hải Phòng, Thái Bình, Nam Định, Vĩnh Phúc, Thanh Hóa, Nghệ An, Đà Nẵng,TP. Hổ Chí Minh các tỉnh thành lân cận thuộc Ngành dệt, may, văng sấy, tẩm nhuôm...

### CÁC MẶT HÀNG CHÚNG TÔI CUNG CẤP GỒM:

- Nhập khẩu các loại máy, phụ tùng linh kiện thay thế chính hãng máy dệt kiếm, dệt khi, dệt nước, dệt thoi. Phục vụ dệt khăn mặt, dệt vải, dệt nhãn mác, băng dây đai thuộc các hãng Vamatex, Picanol, Dornier, Nissan, Toyota, Sulzer, Tsudakoma, Somet, Muller ...
- Nhập khẩu Các loại máy dệt thun bản của các hãng Đài Loan DKY, Trung Quốc.
- Nhập khẩu phụ tùng, máy sợi con, máy sợi thô, máy chải, máy cọc, OE.
- Nhập khẩu máy văng sấy, kim văng, má kẹp, rùa, xích tải, máy nhuộm. Máy sấy rung, máy hồ sợi, máy mắc, máy vắt công nghiệp.
- Nhập khẩu máy cắt laser, cắt tem nhãn, máy in nhãn.
- Gia công lắp đặt máy dệt, lắp ráp go xà máy dệt đầu Jacquard Staubli, Bonas, Gross, Muller, các dạng đầu máy dệt thun đai.
   Với đội ngũ cán bộ nhân viên chuyên nghiệp năng động, nhiệt tình, giao hàng nhanh chóng hiệu quả, cùng lợi thế cạnh tranh về giá, ưu đãi về dịch vụ, Chúng tôi rất mong được trở thành một đối tác đáng tin cậy của Quý Doanh nghiệp.

# **COMPANY PROFILE**

Garment spare parts trade and import export Co.,Ltd company PTDM 55 would like to send our best wishes to you for success. and continuos development.

Dear: Your Company

Textile and garment PTDM 55 has been operating since 2009 in the fields of trading and distribution of textile accessories, textile, dyeing, finishing and sewing for the industry. Be one of the elected representatives for many famous brands in Italy and the United States, the United States, Italia, France, Japan, Korea, China, Taiwan... At present, PTDM 55 garment spare parts have been supplied to factories in Ha Noi, Bac Ninh, Hung Yen, Hai Duong, Hai Phong, Thai Binh, Nam Dinh, Vinh Phuc, Thanh Hoa., Nghe An, Da Nang, Ho Chi Minh City neighboring provinces of textile, garment, lacquer, dye ...

### THE ITEMS WE OFFER INCLUDE:

- Importing machines, spare parts, genuine spare parts, weaving machines, Weaving face towel, weaving belts of Vamatex, Toyota, Sulzer, Tsudakoma, Somet, Muller...
- Importing extile Machines of Taiwanese firms DKY, China.
- Importing spare parts, spinning machine, coarse machine, brush machine, pile machine, OE.
- Importing stenter, stapler, chopper, turtle, chain, dyeing machine. Vibrating machine, spinning machine, hook machine, industrial crushers.
- Importing laser cutting machine, cutting stamp label, label printer.
- Fabrication of knitting machines, assembly of Jacquard Staubli, Bonas, Gross, Muller weaving machines, belt type weaving machines

We have at our disposal a complete range of accesso – ries and sapre parts. High quality of distributed trade marks made of us as an example of textile industry a wide assortment of items and the timeliness of spare parts deliveries made of us great esteem of our customers.



www.phutungdetmay55.com www.phutungdetmay55.com



# PTDM55 TRADING AND IMPORT EXPORT COMPANY LIMITED

# **SM-600**

# SM-600Full Function Label Cutting And Folding Machine

SM-600 label cutting and folding machine is featured with a compact structure and easy operation. Only need the change of the mold, the machine is able to chopper fold five types of labels. The main engine is driven by the frequency changer circuit to realize a soft start, and with the addition of a high-performance photoelectric system, which allows to automatically recognize the labels and stop when there's no label or defective labels. It's also featured with characteristics of adjusting the length of the label without the use of any tool, also it can be equipped with a Color sensor system according to users' requirements. The main target of this system is for chopper folding the printed labels and the labels without pushing line.



# 25-100mm 15-60mm 30-120mm 30-120mm

### SM-600 Main Technical Variables

Shearing and folding types	(1) cutintoshices(2)endfold(3)centrefold (4)triangle fold(5)lengthfold
Shearable length	15-140mm
Shearable width	10-70mm
Cutter type	cooled cutting,hot cutting
Cutter speed	0-200/ minute
Power supply	single-phase220v50-60hz
Elect ricity cinsumption	1.8kw
Horsepower	1/2hp
Weight	295kg
Output packing	1100x950x1620mm
	<u> </u>


### **Features**



Color sensor system. This system is mainly for the chopper folding of the printed label and label without pushing line.



Adjust the size of the label by simply adjusting the turntable to get the desired size.



The adaptation of extra thick fixed shaft, which allows to run for a long term without having any sway and deviation.



10-140mm

# PTDM55 TRADING AND IMPORT EXPORT COMPANY LIMITEI



# **SM-600A**

# SM-600Full Function Label Cutting And Folding Machine

SM-600A label cutting and folding machine is featured with a compact structure and easy operation. Only need the change of the mold, the machine is able to chopper fold five types of labels.Use computerized control system the operating system has equippedwith a high-end panel that is powerful and user friendly The main engine is driven by the frequency changer circuit to realize a soft start, and with the addition of a high-performance photoelectric system, which allows to automatically recognize the labels and stop when there's no label or defective labels. It's also featured with characteristics of adjusting the length of the label without the use of any tool, also it can be equipped with a Color sensor system according to users' requirements. The main target of this system is for chopper folding the printed labels and the labels without pushing line.



# 25-100mm 15-60mm 10-140mm 10-140mm 30-120mm

### SM-600A Main Technical Variables

Shearing and folding types	(1) cutintoshices(2)endfold(3)centrefold (4)triangle fold(5)lengthfold
Shearable length	15-140mm
Shearable width	10-70mm
Cutter type	cooled cutting,hot cutting
Cutter speed	0-200/ minute
Power supply	single-phase220v50-60hz
Elect ricity cinsumption	1.8kw
Horsepower	1/2hp
Weight	295kg
Output packing	1100x950x1620mm

### **Features**



the operating system has equipped with a high-end panel that is powerful and user friendly



Adjust the size of the label by simply adjusting the turntable to get the desired size.



Color sensor system. This system is mainly for the chopper folding of the printed label and label without pushing line.



The adaptation of extra thick fixed shaft, which allows to run for a long term without having any sway and deviation.

www.phutungdetmay55.com

# PTDM55 TRADING AND IMPORT EXPORT COMPANY LIMITEI

# TUNG DET IN A

# SM-500 SM-500A

# SM-500 & SM-500A Single Function Label Cutting And Folding Machine

SM-600 label cutting and folding machine is featured with a compact structure and easy operation. Only need the change of the mold, the machine is able to chopper fold five types of labels. The main engine is driven by the frequency changer circuit to realize a soft start, and with the addition of a high-performance photoelectric system, which allows to automatically recognize the labels and stop when there's no label or defective labels. It's also featured with characteristics of adjusting the length of the label without the use of any tool, also it can be equipped with a Color sensor system according to users' requirements. The main target of this system is for chopper folding the printed labels and the labels without pushing line.

SM-500A Use computerized control system the operating system has equippedwith a high-end



# Features



the operating system has equipped with a high-end panel that is powerful and user friendly



Adjust the size of the label by simply adjusting the turntable to get the desired size.



Color sensor system. This system is mainly for the chopper folding of the printed label and label without pushing line.





The adaptation of extra thick fixed shaft, which allows to run for a long term without having any sway and deviation.

# SM-500

# Main Technical Variables

Shearing and folding types	(1) cutintoshices(2)endfold
Shearable length	15-140mm
Shearable width	10-70mm
Cutter type	ccooled cutting,hot cutting
Cutter speed	0-200/ minute
Power supply	single-phase220v50-60hz
Elect ricity cinsumption	1.8kw
Horsepower	1/2hp
Weight	275kg
Output packing	1100x950x1620mm







www.phutungdetmay55.com

# PTDM55 TRADING AND IMPORT EXPORT COMPANY LIMITEI



# SM-300 SM-300A

# SM-300 & SM-300A Single Function Label Cutting And Folding Machine

SM-300 label cutting and folding machine is dedicated to rig labels, which can easily rig all kinds of labels. The main engine is driven by the frequency changing circuit to realize a soft start, and the high-performance photoelectric system is installed, which allows to automatically recognize the labels and stop when there's no label or defective labels. It's also featured with characteristics of adjusting the length of the label without the use of any tool. Also, it can be equipped with a Color sensor system according to users' requirements. The main target of this system is for chopper folding the printed labels and the labels without pushing line. SM-300A Use computerized control system the operating system has equippedwith a high-end panel that is powerful and user friendly.



### Features



the operating system has equipped with a high-end panel that is powerful and user friendly



Adjust the size of the label by simply adjusting the turntable to get the desired size.



Color sensor system. This system is mainly for the chopper folding of the printed label and label without pushing line.



The adaptation of extra thick fixed shaft, which allows to run for a long term without having any sway and deviation.

# SM-300 Main Technical Variables

Shearing and folding types	(1) cutintoshices(2)centrefold
Shearable length	30-140mm
Shearable width	8-70mm
Cutter type	cooled cutting,hot cutting
Cutter speed	0-200/minute
Power supply	single-phase220v50-60hz
Elect ricity cinsumption	1.6kw
Horsepower	1/2hp
Weight	245kg
Output packing	1100x950x1620mm



8-70mm	
	10- 70 mm



www.phutungdetmay55.com

# PTDM55 TRADING AND IMPORT EXPORT COMPANY LIMITED



# **SM-100 SM-100A**

SM-100 & SM-100A Single Function Label Cutting Machine


SM-100 is a Automatic Label machine equipped fitted with an electronic eye device.Label cutter opening and seals are secures for fast operation in order to saving the production time. This machine design have been mondify to make it simple and convenient to use. SM-100A Use computerized control system the operating system has equippedwith a high-end panel that is powerful and user friendly.



### **Features**



the operating system has equipped with a high-end panel that is powerful and user friendly



Adjust the size of the label by simply adjusting the turntable to get the desired size.




Color sensor system. This system is mainly for the chopper folding of the printed label and label without pushing line.



# SM-100&SM-100A Main Technical Variables

Shearing and folding types	cutintoshices
Shearable length	10-150mm
Shearable width	8-70mm
Cutter type	cooled cutting,hot cutting
Cutter speed	0-200/minute
Power supply	single-phase220v50-60hz
Power supply  Elect ricity cinsumption	single-phase220v50-60hz 0.9kw
Elect ricity cinsumption	0.9kw





# PTDM55 TRADING AND IMPORT EXPORT COMPANY LIMITED



# **SM-800**

# SM-800 ultrasonic slitting Machine

SM-800 ultrasonic label slitting machine adopts the ultrasonic system imported from Germany and imported FIFE deviation rectification system. The incision is automatically sealed without melting edge, raw edge and loose edge, etc. There is no need for preheating, which allows to have a high efficiency. The products will not turn black and be burned, and the incisions are soft, beautiful and flat. Adjustable blade adapter can adjust the distance between the blades according to different requirements, which can also be moved to the left and right as a whole. The more flexible and changeable adjustment makes production smoother. The imported round blade, with an excellent quality, makes it easy to achieve the best slitting effect. The adaptation of professional industrial control circuit and touch screen system, to have a real-time recording and

### **SM-800** Main Technical Variables

Ultrasonic frequency	20k HZ
Shearable width	200mm
Number of tapes	20(10mm/line)
Cutter speed	0-15M/minute
Power supply	single-phase220v50-60hz
Elect ricity cinsumption	1.8kw
Air supply	6 bar
Weight	510kg
Output packing	2440x1200x1520mm



Imported deviation rectification system allows to have an accurate tracking



Imported titanium alloy vibration table which can serve for a long time and have a super efficiency.



Configured with manual welder allows to have a quick and easy tape splicing.



High-precision blade adapter, which ensures a long-term



the operating system has equipped with a high-end panel that is powerful and user friendly

